

# SC MUD L

Chemwatch Independent Material Safety Data Sheet

Issue Date: 14-Sep-2010

NC317ECP

CHEMWATCH 24-8081

Version No:2.0

CD 2010/3 Page 1 of 7

---

## Section 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

---

### PRODUCT NAME

SC MUD L

### PRODUCT USE

Processing aid for industrial applications.

### SUPPLIER

Company: Sud- Chemie Pty Ltd

Address:

12 Peachtree Road

Penrith

NSW, 2750

Australia

Telephone: +61 2 4732 1421

Emergency Tel: +61 2 47 321 421 (9.00am to 5.00pm Mon-Fri)

Fax: +61 2 4732 1678

Email: sales@sued- chemie.com.au

---

## Section 2 - HAZARDS IDENTIFICATION

---

### STATEMENT OF HAZARDOUS NATURE

NON-HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS. According to NOHSC Criteria, and ADG Code.

### RISK

•None under normal operating conditions.

### SAFETY

Safety Codes

S23

S24

S39

S26

Safety Phrases

■ Do not breathe gas/ fumes/ vapour/ spray.

■ Avoid contact with skin.

■ Wear eye/ face protection.

■ In case of contact with eyes, rinse with plenty of water and contact Doctor or Poisons Information Centre.

---

## Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

---

NAME	CAS RN	%
anionic water- soluble polymer		NotSpec
water	7732-18-5	NotSpec

---

## Section 4 - FIRST AID MEASURES

---

### SWALLOWED

- If swallowed do NOT induce vomiting.
- If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.

continued...

# SC MUD L

## Chemwatch Independent Material Safety Data Sheet

Issue Date: 14-Sep-2010

NC317ECP

CHEMWATCH 24-8081

Version No:2.0

CD 2010/3 Page 2 of 7

Section 4 - FIRST AID MEASURES

---

- Observe the patient carefully.
- Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.
- Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.
- Seek medical advice.

### EYE

- If this product comes in contact with eyes:
  - Wash out immediately with water.
  - If irritation continues, seek medical attention.
  - Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

### SKIN

- If skin or hair contact occurs:
  - Flush skin and hair with running water (and soap if available).
  - Seek medical attention in event of irritation.

### INHALED

- If fumes or combustion products are inhaled remove from contaminated area.
- Other measures are usually unnecessary.

### NOTES TO PHYSICIAN

- Treat symptomatically.
- 

## Section 5 - FIRE FIGHTING MEASURES

---

### EXTINGUISHING MEDIA

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

### FIRE FIGHTING

- Alert Fire Brigade and tell them location and nature of hazard.
- Wear breathing apparatus plus protective gloves for fire only.
- Prevent, by any means available, spillage from entering drains or water courses.
- Use fire fighting procedures suitable for surrounding area.
- DO NOT approach containers suspected to be hot.
- Cool fire exposed containers with water spray from a protected location.
- If safe to do so, remove containers from path of fire.
- Equipment should be thoroughly decontaminated after use.

### FIRE/EXPLOSION HAZARD

- The material is not readily combustible under normal conditions.
  - However, it will break down under fire conditions and the organic component may burn.
  - Not considered to be a significant fire risk.
  - Heat may cause expansion or decomposition with violent rupture of containers.
  - Decomposes on heating and may produce toxic fumes of carbon monoxide (CO).
  - May emit acrid smoke.
- Decomposes on heating and produces toxic fumes of: carbon dioxide (CO<sub>2</sub>), nitrogen oxides (NO<sub>x</sub>).

### FIRE INCOMPATIBILITY

- None known.

### HAZCHEM

None

continued...

# SC MUD L

Chemwatch Independent Material Safety Data Sheet

Issue Date: 14-Sep-2010

NC317ECP

CHEMWATCH 24-8081

Version No:2.0

CD 2010/3 Page 3 of 7

Section 5 - FIRE FIGHTING MEASURES

---

## Personal Protective Equipment

Gloves, boots (chemical resistant).

---

## Section 6 - ACCIDENTAL RELEASE MEASURES

---

### MINOR SPILLS

- Slippery when spilt.
- Clean up all spills immediately.
- Avoid breathing vapours and contact with skin and eyes.
- Control personal contact by using protective equipment.
- Contain and absorb spill with sand, earth, inert material or vermiculite.
- Wipe up.
- Place in a suitable, labelled container for waste disposal.

### MAJOR SPILLS

- Slippery when spilt.
- Minor hazard.
- Clear area of personnel.
  - Alert Fire Brigade and tell them location and nature of hazard.
  - Control personal contact by using protective equipment as required.
  - Prevent spillage from entering drains or water ways.
  - Contain spill with sand, earth or vermiculite.
  - Collect recoverable product into labelled containers for recycling.
  - Absorb remaining product with sand, earth or vermiculite and place in appropriate containers for disposal.
  - Wash area and prevent runoff into drains or waterways.
  - If contamination of drains or waterways occurs, advise emergency services.

**Personal Protective Equipment advice is contained in Section 8 of the MSDS.**

---

## Section 7 - HANDLING AND STORAGE

---

### PROCEDURE FOR HANDLING

- Limit all unnecessary personal contact.
- Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area.
- When handling DO NOT eat, drink or smoke.
- Always wash hands with soap and water after handling.
- Avoid physical damage to containers.
- Use good occupational work practice.
- Observe manufacturer's storing and handling recommendations.

### SUITABLE CONTAINER

- Polyethylene or polypropylene container.
- Packing as recommended by manufacturer.
- Check all containers are clearly labelled and free from leaks.

### STORAGE INCOMPATIBILITY

- Avoid storage with oxidisers.

### STORAGE REQUIREMENTS

- Store in original containers.
- Keep containers securely sealed.
- Store in a cool, dry, well ventilated area.
- DO NOT allow to freeze.

continued...

# SC MUD L

## Chemwatch Independent Material Safety Data Sheet

Issue Date: 14-Sep-2010

NC317ECP

CHEMWATCH 24-8081

Version No:2.0

CD 2010/3 Page 4 of 7

Section 7 - HANDLING AND STORAGE

- Store away from incompatible materials.
- Protect containers against physical damage and check regularly for leaks.
- Observe manufacturer's storing and handling recommendations.

Store at 0-30 degC.

## Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

### EXPOSURE CONTROLS

The following materials had no OELs on our records

- water:

CAS:7732- 18- 5

### MATERIAL DATA

SC MUD L:

None assigned.

WATER:

- No exposure limits set by NOHSC or ACGIH.

### PERSONAL PROTECTION

#### EYE

- Safety glasses with side shields; or as required,
- Chemical goggles.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lens or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59].

#### HANDS/FEET

- Wear general protective gloves, eg. light weight rubber gloves.

#### OTHER

- No special equipment needed when handling small quantities.

OTHERWISE:

- Overalls.
- Barrier cream.
- Eyewash unit.

#### RESPIRATOR

The local concentration of material, quantity and conditions of use determine the type of personal protective equipment required. For further information consult site specific CHEMWATCH data (if available), or your Occupational Health and Safety Advisor.

#### ENGINEERING CONTROLS

- General exhaust is adequate under normal operating conditions. Local exhaust ventilation may be required in specific circumstances. If risk of overexposure exists, wear approved respirator. Correct fit is essential to obtain adequate protection. Provide adequate ventilation in warehouse or closed storage areas.

continued...

# SC MUD L

Chemwatch Independent Material Safety Data Sheet

Issue Date: 14-Sep-2010

NC317ECP

CHEMWATCH 24-8081

Version No:2.0

CD 2010/3 Page 5 of 7

## Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

### APPEARANCE

Milky viscous liquid with aliphatic odour; mixes with water.

### PHYSICAL PROPERTIES

Liquid.

Mixes with water.

State	Liquid	Molecular Weight	Not Applicable
Melting Range (°C)	Not Available	Viscosity	Not Available
Boiling Range (°C)	Not Available	Solubility in water (g/L)	Miscible
Flash Point (°C)	Not Applicable	pH (1% solution)	6- 8 @ 5g/l
Decomposition Temp (°C)	Not Available	pH (as supplied)	Not Available
Autoignition Temp (°C)	Not Applicable	Vapour Pressure (kPa)	Not Available
Upper Explosive Limit (%)	Not Applicable	Specific Gravity (water=1)	1.05
Lower Explosive Limit (%)	Not Applicable	Relative Vapour Density (air=1)	Not Available
Volatile Component (%vol)	Not Available	Evaporation Rate	Not Available

## Section 10 - CHEMICAL STABILITY AND REACTIVITY INFORMATION

### CONDITIONS CONTRIBUTING TO INSTABILITY

- Presence of incompatible materials.
- Product is considered stable.
- Hazardous polymerisation will not occur.

*For incompatible materials - refer to Section 7 - Handling and Storage.*

## Section 11 - TOXICOLOGICAL INFORMATION

### POTENTIAL HEALTH EFFECTS

#### ACUTE HEALTH EFFECTS

##### SWALLOWED

■ The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. The material may still be damaging to the health of the individual, following ingestion, especially where pre-existing organ (eg. liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, ingestion of insignificant quantities is not thought to be cause for concern.

##### EYE

■ There is some evidence to suggest that this material can cause eye irritation and damage in some persons.

##### SKIN

■ There is some evidence to suggest that this material can cause inflammation of the skin on contact in some persons.

##### INHALED

■ The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure

continued...

# SC MUD L

Chemwatch Independent Material Safety Data Sheet

Issue Date: 14-Sep-2010

NC317ECP

CHEMWATCH 24-8081

Version No:2.0

CD 2010/3 Page 6 of 7

## Section 11 - TOXICOLOGICAL INFORMATION

---

be kept to a minimum and that suitable control measures be used in an occupational setting.

### CHRONIC HEALTH EFFECTS

■ Prolonged or repeated skin contact may cause drying with cracking, irritation and possible dermatitis following.

### TOXICITY AND IRRITATION

SC MUD L:

■ unless otherwise specified data extracted from RTECS - Register of Toxic Effects of Chemical Substances.

#### TOXICITY

Oral (Rat) LD50: >5000 mg/kg

[Manufacturer]

#### IRRITATION

#### WATER:

■ No significant acute toxicological data identified in literature search.

---

## Section 12 - ECOLOGICAL INFORMATION

---

Not readily biodegradable.

Toxicity to fish

LC50: > 100 mg/l 96h

Toxicity to algae:

IC50/Scenedesmus subspicatus/72 hours >100 mg/l

Toxicity to daphnia

EC50 daphnia: > 100 mg/l/48h

---

## Section 13 - DISPOSAL CONSIDERATIONS

---

- Recycle wherever possible or consult manufacturer for recycling options.
- Consult State Land Waste Management Authority for disposal.
- Bury residue in an authorised landfill.
- Recycle containers if possible, or dispose of in an authorised landfill.

---

## Section 14 - TRANSPORTATION INFORMATION

---

### HAZCHEM:

None (ADG7)

NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS: ADG7, UN, IATA, IMDG

---

## Section 15 - REGULATORY INFORMATION

---

POISONS SCHEDULE None

continued...

# SC MUD L

Chemwatch Independent Material Safety Data Sheet

Issue Date: 14-Sep-2010

NC317ECP

CHEMWATCH 24-8081

Version No:2.0

CD 2010/3 Page 7 of 7

Section 15 - REGULATORY INFORMATION

---

## REGULATIONS

Regulations for ingredients

**water (CAS: 7732-18-5) is found on the following regulatory lists;**

"IMO IBC Code Chapter 18: List of products to which the Code does not apply", "OECD Representative List of High Production Volume (HPV) Chemicals"

**No data for SC Mud L (CW: 24-8081)**

---

## Section 16 - OTHER INFORMATION

---

■ Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

A list of reference resources used to assist the committee may be found at:

[www.chemwatch.net/references](http://www.chemwatch.net/references).

■ The (M)SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

*This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.*

Issue Date: 14-Sep-2010

Print Date: 14-Sep-2010

*This is the end of the MSDS.*